

Amendments to the Claims:

5 This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of claims:

- 10 1-55. (Canceled)
56. (New) A laminated construct of a molded medical article surrounded by a liner formed within an internal mold surface of a mold of a rotational molding machine, comprising:
- 15 a mold liner covering the internal mold surface and having an inner surface;
- and
- a cured polymer shell for a medical article defining an interior cavity, the shell molded within the inner surface of the mold liner and having a seamless external molded surface defined by the mold liner inner surface.
- 20 57. (New) The laminated construct of claim 56, wherein the liner is a thermoplastic selected from the group consisting of polyethylene, polypropylene, nylon and fluoropolymer.
- 25 58. (New) The laminated construct of claim 56, wherein the liner is a thermoset selected from the group consisting of polyester resin, polyurethane and epoxy.
59. (New) The laminated construct of claim 56, wherein the polymer shell is made of a silicone selected from the group consisting of:
- 30 a acetoxycuring (RTV) silicone dispersion;
- a platinum catalyzed heat-cured (HTV) silicone dispersion;
- a tin catalyzed silicone;

a polyurethane;
a silicone elastomer; and
a solvent-based silicone.

5 60. (New) The laminated construct of claim 56, wherein the polymer shell is made of a material that emits gaseous by-products during curing.

61. (New) The laminated construct of claim 56, wherein the shell is textured.

10 62. (New) The laminated construct of claim 56, wherein the shell is patchless.

63. (New) A laminated construct of a molded breast implant shell surrounded by a liner formed within an internal mold surface of a mold of a rotational molding machine, comprising:

15 a mold liner covering the internal mold surface and having an inner surface;
and

 a cured breast implant shell defining an interior cavity, the shell molded within the inner surface of the mold liner and having a seamless external molded surface defined by the mold liner inner surface.

20 64. (New) The laminated construct of claim 63, wherein the liner is a thermoplastic selected from the group consisting of polyethylene, polypropylene, nylon and fluoropolymer.

25 65. (New) The laminated construct of claim 63, wherein the liner is a thermoset selected from the group consisting of polyester resin, polyurethane and epoxy.

66. (New) The laminated construct of claim 63, wherein the shell is made of a silicone selected from the group consisting of:

30 a acetoxycuring (RTV) silicone dispersion;
a platinum catalyzed heat-cured (HTV) silicone dispersion;

a tin catalyzed silicone;
a polyurethane;
a silicone elastomer; and
a solvent-based silicone.

5

67. (New) The laminated construct of claim 63, wherein the shell is made of a material that emits gaseous by-products during curing.

68. (New) The laminated construct of claim 63, wherein the shell is textured.

10

69. (New) The laminated construct of claim 63, wherein the shell is patchless.